



The Inquiry Based Approach in Learning of Mobile Applications Programming

Ľubomír Šnajder – Ján Guniš
P. J. Šafárik University in Košice, Faculty of Science, Slovakia



Content

- Methodology of teaching of mobile applications programming in AI2
- Programming of STEM applications
 - Using mobile devices in education
 - Data logger for the city traffic
 - Pedometer or physical activities counter
 - Suggestions for further projects
- Conclusions





Methodology of teaching of mobile applications programming in AI2

- sources: Constructionism + Inquiry Based Learning
- inspiration: Build – Conceptualize – Customize – Create (Wolber's model of teaching)
- main attributes of our methodology:
 - creation useful apps exploiting spec functionalities of MD
 - first introduce sensors, then program constructions
 - pupils follow worksheets with formative assessment
 - rapid app creation -> extension to (STEM) project
 - support for teachers (methodologies, training)





Using mobile devices in education

- Communication
- Multimedia
- Games, leisure ...
- Data processing:
 - spreadsheet -> spreadsheet on a cloud, MD
 - fictive data -> real data
 - data from external sources -> original and authentic data
 - not only process data -> obtain data + process data
 - using sensors of MD





Data logger for the city traffic (1)

- motivation
 - real, original data for spreadsheet,
 - mobile devices, GPS module ...
 - data stored directly in electronic form,
- research problem
 - traffic in the city – traffic density
- typical STEM project
 - Programmer problem – to create mobile application
 - Scientific problem – to process data statistically





Data logger for the city traffic (2)

■ Problem analyses

- What type of data is recorded and how to record data?
- Which data can be obtained automatically and which require the decision of man?
- What is the format of recorded data?
- Where will be the data stored?
- What functionality and interface should the application have?
- Which environment (language) will be used to create the application? (We assume AI2)
- Which previous decisions can we implement within the given environment? How to modify those we cannot implement?





Data Logging

9:48

DataLogging

passenger car OUT

passenger car IN

public transport OUT

public transport IN

freight transport_OUT

freight transport IN

Possible

data

place
measu

time
measu

directio
car

type
transp

■ Prog

■ Data

undo

reset OR prepare file

exit

omatically
/
on researcher

omatically

omatically

on researcher

on researcher

or 2



Data logger for the city traffic (4)

- Part of program code

```
when passenger_car_OUT .Click
do
  to write_data type direction
  initialize local data to
  join
    call Clock1 .FormatDateTime
    instant call Clock1 .Now
    " ,"
    LocationSensor1 . Latitude
    " ,"
    LocationSensor1 . Longitude
    " ,"
    get type
    " ,"
    get direction
    "\n"
  in
    call File1 .AppendToFile
    text get data
    fileName "/traffic.csv"
```




Data logger for the city traffic (5)

- Programming is beauty – because each product provides a room for improvement.
 - Problem 1: We do not have feedback when a button is pressed.
 - solution: short vibration
 - Problem 2: Which button was pressed?
 - solution: View just stored data in label component
 - Problems: UNDO action, reset data, data from more observers
 - ...





Pedometer / phys. activities counter (IBL, requirements-means)

- guided inquiry (problem, ~~methods, result~~)
- requirements for mobile app (problem)
 - means (AI2):
 - what sensors are suitable for recording of movement speed changes (apps from Google Play)
 - identify movement speed changes (accelerometer components, AI2 cmds)
 - display value of accelerometer sensor (write/draw cmds)
 - steps counting (calculation, testing cmds)
 - keep measured data (store to/read from file cmds)





Pedometer / phys. activities counter (sequence of questions)

- How much the values of various sensors of MD in the same situations differ?
- What trends have the components of acceleration measured by the sensor during walking?
How much do they differ for different types of gait and a variety of people? Which of the components of acceleration will be taken into account?
- At what place and in what position we should fasten the mobile device to the human body to obtain the most accurate values from mobile application to measure the number of steps?





Pedometer / phys. activities counter (sequence of questions 2)


- Which algorithm should we use to calculate the steps?
We calculate the steps immediately,
or from recorded values?
- What other functionalities should the mobile application have?
- What other useful applications can be derived from this pedometer application?





Pedometer / phys. activities counter (methodology)

- Determining what sensors are on our MD and how they react on changing the speed of movement (accelerometer sensor is a winner)
- Programming mobile app (in AI2) for displaying actual value of acceleration sensor (z-component)






Pedometer / phys. activities counter (methodology 2)

- Experimenting with our and other ready-made apps during walking (periodic course of accelerometer sensor).

Number of steps = number of passes through the certain threshold.





Pedometer / phys. activities counter (methodology 3)


- key part of program code with absolute value of the acceleration vector $\sqrt{a_x^2 + a_y^2 + a_z^2}$

```
when Clock1.Timer
do
  if get global measuring
  then
    set global a to call acceleration
    ax AccelerometerSensor1.XAccel
    ay AccelerometerSensor1.YAccel
    az AccelerometerSensor1.ZAccel
    set Label_Acceleration.Text to get global a
    if get global a > get global limit and get global a_old ≤ get global limit
    then
      set global steps to get global steps + 1
      set Label_Steps.Text to get global steps
      call Sound1.Play
      call write_to_file
      set global a_old to get global a
```



Pedometer / phys. activities counter (methodology 4)

- Adding other features:
 - setting sensitivity threshold of the pedometer
 - recording (and displaying) of measured data to a text file
 - delay before measuring



<http://ai2.appinventor.mit.edu/?galleryId=6283550952259584>



Pedometer / phys. activities counter (methodology 5)

- Creation of other apps based on pedometer:
 - counting of squats
 - determine the pace of selected training exercises
 - diagnosing of pathological shakiness, or lameness





Suggestions for further projects

- Multimedia notepad for young journalists (taking photos with recorded date, time, GPS position, personal notes and additional drawings).
- Talking compass for visually impaired persons (orientation sensor, speech synthesis)
- SMS loud reader for visually impaired or very busy persons (using speech synthesis, receiving SMS)
- Detector of falls for seniors (sending SMS to specified person with recorded information about GPS position, orientation and time of a fall)





Suggestions for further projects 2

- Treasure hunting game (GPS sensor, orientation sensor, barcode reader).





Conclusions

- examples of meaningful integration of MD into education – not only exploiting but also creation own mobile apps
- pupils – programming, STEM, inquiry skills, creativity
- prepared teachers – methodologies, training
- future plans – development methodologies, writing book for pupils on programming in AI2





Contacts

RNDr. Ľubomír ŠNAJDER, PhD.

lubomir.snajder@upjs.sk

PaedDr. Ján Guniš, PhD.

jan.gunis@upjs.sk



Pavol Jozef Šafárik University in Košice

Faculty of Science

Institute of Computer Science

Park Angelinum 9, 041 54 Košice

Phone (office): 00421 55 234 2539

GPS: 48.728888 N, 21.248232 E

